Index

Adolescents: health habits and their 'programming', 187–188
Aerts L *see* **Van Assche FA**
Affluence and
  non-industrialised countries, 33–50
  obesity, 36–37
Ageing, 134–135, 188
Animal models
  and the metabolic syndrome, 13–15
  and programming of the metabolic syndrome: **Bertram CE & Hanson MA**, 103–121
Animal models of maternal diabetes, 176–178
Atherosclerotic vascular disease (AVD) associated with metabolic syndrome, 153–171

Barker DJP
  Preface, 1–3
  The malnourished baby and infant, 69–88
  see also **Hales CN**
Bennett PH *see* **Lindsay RS**
Bertram CE & Hanson MA: Animal models and programming of the metabolic syndrome, 103–121
Birth weight (low) and genetic factors leading to type 2 diabetes in long-term, 5–20, 98–99, 89–101, 189
    paternal and maternal factors, 91–92
Blood
  glucose levels, transiently or slightly elevated, 191–192
  pressure measurement, 109–110
Body size at birth and the metabolic syndrome, 9–10

Childhood
  growth and the metabolic syndrome, 10–12
  obesity, 190

Diabetes during pregnancy, long-term consequences for offspring of, 173–182
Diabetes Prevention Program (DPP), 195
Dietary manipulation, animal models, 104–110

Early-life origins of type 2 diabetes, 39–42
Economic and human cost of diabetes, 36
Endocrine pancreas
  in utero – factors affecting development of the, 127–133
  intra-uterine programming of the, 123–142
  normal development, 123–127
Endocrine programming that affects insulin, 153–171
Environmental
  factors and
    obesity, 21–32
    susceptibility to diabetes, 5–20
  influence (early) before and after the thrifty phenotype, 24–25
  toxins, 39
Epigenetic effects, 115–116
Eriksson J, Lindström J & Tuomilehto J: Potential for the prevention of type 2 diabetes, 183–199

Fall CHD: Non-industrialised countries and affluence, 33–50
Family history, 189
Famine and the metabolic syndrome, 12–13
Fetal
  adaptations to undernutrition, 70–73
  development and growth in a diabetic intra-uterine environment and the consequences for later life, 173–176
  growth, intergenerational constraints on, 82–83
  malnutrition, consequences of, 15–16
  nutrition, 69
  origins of adult disease, 103–121
  and maternal genetic conflict, 75–76
Fibroblast growth factor (FGF) family, 131–133, 136
Finnish Diabetes Prevention Study (DPS), 193–195
Fowden AL & Hill DJ: Intra-uterine program-

© The British Council 2001

ming of the endocrine pancreas, 123–142
Frayling TM & Hattersley AT: The role of genetic susceptibility in the association of low birth weight with type 2 diabetes, 89–101

Genes, 39
  disorders (single) of insulin secretion and action alter fetal growth, 93–95
  and fetal adaptations, 74–75
  and fetal growth, 73–74
  influencing normal variation in birth weight, 97–98
  role of, in birth weight and type 2 diabetes, 93–95
  versus the environment, 13
Genetic
  models, 113
  susceptibility, in the association of low birth weight with type 2 diabetes, 89–101
Genetics of birth weight and type 2 diabetes, dissecting the, 98–99
Genotype (thrifty) and thrifty phenotype, 89–101
Gestational diabetes, 191
Glucocorticoid
  exposure, 148
  hormone action pathway, 153–171
    pharmacological disruption of the, 111–113
Growth
  factors and islet development, 131–133
  hormone (GH)–insulin-like growth factor (IGF) binding protein axis, 153, 161–167
  in childhood and adolescence, 186–187

Hales CN & Barker DJP: The thrifty phenotype hypothesis: , 5–20
Hanson MA *see* **Bertram CE**
Hattersley AT *see* **Frayling TM**
Hill DJ *see* **Fowden AL**
Holemans K *see* **Van Assche FA**
Hormonal insults, 148
Hormones, programming other, that affect insulin, 153–171
Hypertension, 191
Hypothalamic–pituitary–adrenal axis, 155–161
Hypothesis, the thrifty phenotype, 5–20

Ilotrophin, 131–133
Imprinted genes and growth, 95–96
Insulin
  central role of, in both fetal growth and carbohydrate regulation: influence of genes, 92–93
  secretion and action alter fetal growth – single gene disorders, 93–95
Insulin-like growth factor(s), 136
  (IGF-I)–growth hormone (GH) axis, 153, 161–167
  IGF-I, IGF-II45, 131–133
Intra-uterine
  changes in pancreatic endocrine development, long term consequences, 133–135
  diabetic environment and the consequences for later life, fetal development and fetal growth, 173–176
  programming of the endocrine pancreas: **Fowden AL & Hill DJ**, 123–142
Islet development, intra-uterine programming, 131–133
Islet neogenesis associated protein (INGAP), 131–133

Life-style
  adult, 188
  intervention studies, major, 193–195
Ligation, uterine artery, 148–149
Lindsay RS & Bennett PH: Type 2 diabetes, the thrifty phenotype – an overview, 21–32
Lindström J *see* **Eriksson J**
Long-term consequences for offspring of diabetes during pregnancy: **Van Assche FA, Holemans K & Aerts L**, 173–182
Low birth weight and type 2 diabetes, 154–155
    genetic susceptibility, association of, 89–101
    genetic explanation, 90–91
Low protein (LP) isocalorific diet, 129, 133

Malnourished babies and infants, diabetes and, 69–88
Maternal
  calorie restriction, 147

diabetes, long-term consequences for offspring, 173–176
animal models of, 176–178
–fetal genetic conflict, 75–76
gestational diabetes, effects of, 42–44
iron restriction, 147–148
nutrition and body
and the placenta, 80–82
long-term effects on glucose-insulin metabolism, 83–84
proportions at birth, 79–80
size at birth, 76–79
paternal genetic factors – birth weight, 91–92, 95–96
low protein mouse diet model, 104, 106–107, 113, 144–147
Maturity-onset diabetes of the young (MODY), 128–129
Metabolic programming in animals: **Ozanne SE**, 143–152
Metabolic syndrome – syndrome X (insulin resistance, hypertension, dyslipidaemia and glucose intolerance), 5–20
and increased risk of diabetes and AVD, 153–171
animal models and programming of the, 103–121
odds ratio for the, according to birth weight, 6
prevalence of the, 154–155
Morphogenesis of the endocrine pancreas, 124–125
Mother's height and smoking, birth weight and, 73

Nitric oxide (NO) synthetase, 136
Non-industrialised countries and affluence: **Fall CHD**, 33–50
Nutrient demand/nutrient supply, 117
Nutrition (poor)
and susceptibility to diabetes, 5–20
caloric excess and micronutrient deficiency, 38
Nutritional models of early growth restriction, 144–147

Obesity, 154–155
behavioural and environmental factors, 63
excess adipose tissue as a cause of chronic disease, 63–64
genetic factors, 54–57
metabolic factors underlying susceptibility to, 58–63
potential mechanistic basis: **Prentice AM**, 51–67
derived from genetic studies, 57–58
Offspring exposed to gestational diabetes, long-term consequences, 173–182
Overview – Type 2 diabetes, the thrifty phenotype, 21–32
Ozanne SE: Metabolic programming in animals, 143–152

Pancreas (endocrine), intra-uterine programming of the, 123–142
Pancreatic
endocrine function, mechanisms of programming, 135–139
islet development (intra-uterine programming), hormones and growth factors 131–133
Paternal
and maternal genetic factors – birth weight, 91–92
diabetes reduces birth weight and predisposes to type 2 diabetes, 95–96
Pharmacological origins, animal model and, 110–113
Phenotype (thrifty)
and thrifty genotype, 89–101
hypothesis, 5–20
Platelet derived growth factor (PDGF), 131–133
Postnatal diet, 117
Potential for the prevention of type 2 diabetes: **Eriksson J, Lindström J & Tuomilehto J**, 183–199
Preface: **Barker DJP**, 1–3
Pregnancy, 134
long-term consequences for offspring of diabetic patient during, 173–182
Prentice AM: Obesity and its potential mechanistic basis, 51–67
Prevention of type 2 diabetes, 44–46
identification of target groups for intervention and implementation of, 189–192
potential for, 183–199
primary prevention, past experience from,

192–193
Programming
in animals (metabolic): **Ozanne SE**, 143–152
of the endocrine pancreas (intra-uterine), 123–142
other hormones that affect insulin: **Byrne CD**, 153–171
of the metabolic syndrome, animal models, 103–121

Reduced physical activity, effects of, 37–38

Smoking and mother's height, birth weight and, 73
Socio-economic inequality and stress, 38–39
Spontaneously hypertensive rat (SHR), genetic model, 113
Streptozotocin-induced diabetes, 110–111
Surgical intervention, 148–149
Surgical models, 113–114

The malnourished baby and infant: **Barker DJP**, 69–88
The role of genetic susceptibility in the association of low birth weight with type 2 diabetes: **Frayling TM & Hattersley AT**, 89–101
The thrifty phenotype hypothesis: **Hales CN & Barker DJP**, 5–20
Thrifty genotype and thrifty phenotype, 23–24, 89–101
Thrifty phenotype, challenges to the, 26–29
Time trends and the metabolic syndrome, 13
Transforming growth factor-alpha (TGF-α) 131–133
Transgenerational effects, 135
Tuomilehto J *see* **Eriksson J**

Uterine artery ligation, 148–149

Van Assche FA, Holemans K & Aerts L: Long-term consequences for offspring of diabetes during pregnancy, 173–182